

## 2020 Model Year Standard Specification



### Principal Dimensions

**Length overall** (incl. pulpit):  
55'6" (16.92m)

**Length overall** (excl. pulpit):  
53'6" (16.32m)

**Beam** (incl. gunwale):  
14'10" (4.52m)

**Berths:**  
6 - 9

**Draught:**  
3'11" (1.20m)

**Height above waterline**  
(incl. arch & nav. light mast):  
18'2" (5.56m)

**Transport height:**  
17'1" (5.15m)

**Dry weight** (approx.):  
21.16 tonnes / 23.69 US tons (21,000kg)

**Fuel capacity:**  
530 gallons / 637 US gallons  
(2,412 litres)

**Water capacity** (incl. calorifier):  
120 gallons / 145 US gallons  
(550 litres)

### Engines & Performance


Twin Volvo Penta D11-725 shaft drive,  
diesel (1450hp):  
32 knots

Type Approval:  
B

Max Capacity:  
16 persons

## Deck Plans

### Flybridge




### Main Deck Galley-Up Forward



### Main Deck Galley-Up Aft




### Main Deck Galley-Down with saloon couch




Main Deck Galley-Down with saloon sideboard




Lower Deck 3 Cabin, Galley Down



Lower Deck 3 Cabin with day head & utility area



Lower Deck 4 Cabin



Deck

- |                                    |                                                          |
|------------------------------------|----------------------------------------------------------|
| Anchor chain locker                | Moulded non-slip deck surface                            |
| Anchor winch (electric)            | Remote control searchlight                               |
| Anchor winch controls              | Riding light                                             |
| Bathing platform ladder            | Self-stowing Delta® anchor (25kg)                        |
| Calibrated anchor chain (50m)      | Stainless steel aft fairleads                            |
| Ensign & staff                     | Stainless steel bow fairleads                            |
| Fender set                         | Stainless steel bow, cockpit, stern & twin spring cleats |
| Foredeck drinks holders            | Stainless steel gunwale with rubber inserts              |
| Foredeck glazing                   | Stainless steel pulpit                                   |
| Foredeck stowage lockers           | Teak laid bathing platform                               |
| Foredeck seating                   | Twin horns                                               |
| Fuel fillers                       | Water filler                                             |
| Full set of IMCO navigation lights | Windscreen washers                                       |
| Handrail                           | Windscreen wipers                                        |
| Hot & cold water transom shower    |                                                          |

Flybridge & Second Helm Position

- |                                                                               |                                                                     |
|-------------------------------------------------------------------------------|---------------------------------------------------------------------|
| 12V weatherproof socket with USB                                              | Fire extinguisher                                                   |
| Access hatch                                                                  | Flybridge bar unit with refrigerator & sink                         |
| Adjustable/tilt steering wheel                                                | Garmin digital multi-function instrument system with colour display |
| Bilge pump warning lights & audible alarms                                    | Helm positioned to port for visibility through flybridge hatch      |
| Bolstered helm seating                                                        | Teak table with protective cover                                    |
| Bow thruster controls                                                         | High speed magnetic compass                                         |
| Drinks holders                                                                |                                                                     |
| Electronic single-lever throttle & gear controls for port & starboard engines |                                                                     |

## Flybridge & Second Helm Position

Continued

|                                                                 |                                       |
|-----------------------------------------------------------------|---------------------------------------|
| Instrument covers                                               | Rudder position indicator             |
| Moulded non-slip deck surface                                   | Seat base covers                      |
| Powered steering                                                | Seating adjacent to helm              |
| Radar mast                                                      | Teak laid flybridge steps             |
| Remote anchor winch controls                                    | Trim tab controls                     |
| Remote control searchlight with controls at both helm stations  | Twin helm seats                       |
| Repeat autopilot controls                                       | Upholstered seating area              |
| Repeat engine bay fire extinguisher controls                    | VHF radio incorporating intercom      |
| Repeat flybridge engine instrumentation, controls & electronics | Wind-deflecting screen with grab rail |

## Helm Position

|                                                                                                       |                                                                                        |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
| 12V socket with USB port                                                                              | Garmin GHP 20 autopilot system                                                         |
| Adjustable/tilt steering wheel                                                                        | Garmin GMI 20 digital multi-function instrument system with colour display             |
| Bilge pump switches with integral operating warning lights & audible alarms                           | Garmin VHF 300i marine radio                                                           |
| Black mesh windscreen covers                                                                          | High speed magnetic compass                                                            |
| Bow thruster controls                                                                                 | Opening window                                                                         |
| Companion seating opposite helm with table                                                            | Overhead glazing                                                                       |
| Controls for engine bay fire extinguisher system                                                      | Powered steering                                                                       |
| Drinks holders                                                                                        | Red night-light illumination to helm                                                   |
| Electronic single-lever throttle & gear controls for port & starboard engines                         | Remote anchor winch controls                                                           |
| Fuel gauges                                                                                           | Rudder position indicator                                                              |
| Full engine instrumentation inc; tachometers, temperature gauges, audible alarms & engine hour meters | Searchlight controls                                                                   |
|                                                                                                       | Switches for navigation & riding lights, windscreen wipers & engine bay extractor fans |
|                                                                                                       | Trim tab controls                                                                      |
|                                                                                                       | Twin helm seats                                                                        |

## Electrical Systems

|                                                                                                                       |
|-----------------------------------------------------------------------------------------------------------------------|
| 230 - 240V 50Hz                                                                                                       |
| All 240V, 24V & 12V circuits (where applicable) protected by circuit breakers with main electrical load control panel |
| Heavy duty circuit breakers                                                                                           |
| Isolating switches to all batteries                                                                                   |
| Onan® 9.5kW generator                                                                                                 |
| 12 Volt                                                                                                               |
| Voltage dropper from domestic batteries                                                                               |

### Electrical Systems

Continued

#### 24 Volt

Batteries - 2 x heavy duty batteries exclusively for port engine starting  
Batteries - 2 x heavy duty batteries exclusively for starboard engine starting  
Batteries - 4 x heavy duty batteries wired in parallel supplying domestic services  
Circuit breaker for anchor winch  
Emergency battery coupling system permits each engine to start from opposite battery bank  
Regulated battery charger

#### 240 Volt

Polarity check & earth leakage protection system  
Power points throughout fed from shore power or generator  
Regulated 80amp charger for domestic batteries  
Shore power supply  
Spare circuit breakers for optional equipment

### Cockpit

12V heavy duty weatherproof socket  
Access to lazarette or crew cabin  
Access to side deck  
Bathing platform lights  
Boat hook  
Deck level lighting  
Drinks holders  
Engine bay access hatch with stainless steel gas struts  
Fender stowage  
'J' shaped cockpit seating with adjustable backrest to make sunbed

Life raft stowage  
Manual bilge pumps  
Mooring warps  
Mooring warp stowage  
Port side access  
Single level floor from cockpit to saloon  
Teak laid floor throughout self-draining cockpit  
Teak table with drinks holder  
Transom gate  
White vinyl cover

### Interior Décor

Choice of interior finishes from the Amalfi, Capri, Hamptons or St Tropez interior styling ranges selected by the Fairline Yachts Design Studio

### Hullform & Construction

Antifouling protection to hull  
Bow thruster  
Deep 'V' forward 12.5° deadrise aft  
Design, layout & detailing by the Fairline Yachts Design Studio  
Feature windows with opening portholes  
Full length moulded spray deflectors  
Hull/deck joint bolted & bonded

Integrally moulded engine bearers  
Isophthalic gel coat backed by isophthalic resin-rich powder-bound glass mat  
Resin infused cored hull & liner with hand-laid deck & components  
Polyurethane foam cores throughout deck for strength & thermal insulation

## Saloon

40" Samsung TV with Fusion AV750  
DVD/Radio & wireless connectivity  
Coffee table converts to dining table  
FAIRLINE EDITION durable tumblers  
(set of 6)

Overhead lighting  
Sideboard with stowage  
Sliding patio door to cockpit

## Galley

Avonite work surface  
Chopping board to sink infill  
Crockery stowage  
Extractor fan  
FAIRLINE EDITION melamine dinner  
service (24-piece, 6 place settings)  
Fire extinguisher  
First aid kit

Full height fridge/freezer  
Induction hob  
Integrated waste bin  
Microwave combi oven  
Overhead lighting  
Random oak floor  
Sink with hot & cold mixer tap  
Stowage cupboards & drawers

## Lobby

Access to electrical control panel  
Access to master cabin, guest cabins &  
day head  
Handrail

Lighting to stair risers  
Space for (optional) domestic  
appliance

## Accommodation

### Master Cabin

Aluminium venetian blinds  
Double bed  
Feature windows with opening  
portholes  
Mirror  
Sideboard with storage drawers

Overhead feature lighting  
Reading lights  
Sofa  
Vanity unit with stool  
Wardrobe

### Master Cabin En Suite

Aluminium venetian blinds  
Avonite vanity unit locker & basin with  
hot & cold pressurised water  
Electric silent-flush freshwater toilet  
Extractor fan  
Full set of bathroom fittings  
Full size shower with seat &  
hinged door

Large hull window with single opening  
port hole  
Mirror  
Mirrored lockers  
Overhead lighting  
Random oak floor  
Shower tray automatic pump-out  
system

### Forward Guest Cabin

Aluminium venetian blinds  
Double bed with storage drawers  
Escape hatch to foredeck  
Feature windows with single opening  
porthole

Overhead glazing with blind  
Overhead lighting  
Reading lights  
Wardrobe with mirrored doors

## Forward Guest Cabin En Suite /Day Head

|                                              |                                                         |
|----------------------------------------------|---------------------------------------------------------|
| Aluminium venetian blinds                    | Mirror                                                  |
| Day access                                   | Mirrored lockers                                        |
| Electric silent-flush freshwater toilet      | Overhead lighting                                       |
| Extractor fan                                | Random oak floor                                        |
| Full set of bathroom fittings                | Shower tray automatic pump-out system                   |
| Full standing height shower with hinged door | Vanity unit and basin with hot & cold pressurised water |

## Port Side Guest Cabin

|                                              |                   |
|----------------------------------------------|-------------------|
| Aluminium venetian blinds                    | Mirror            |
| Bedside table                                | Overhead lighting |
| Feature windows with single opening porthole | Reading lights    |
| Full length berths x 2                       | Wardrobe          |

## Starboard Guest Cabin

|                 |          |
|-----------------|----------|
| Bedside table   | Mirror   |
| Bunk berths x 2 | Wardrobe |

## Lazarette

Access through hatch in cockpit seating

## Crew Cabin (Optional)

|                                         |                                |
|-----------------------------------------|--------------------------------|
| Access through hatch in cockpit seating | Mirror                         |
| Electric silent-flush freshwater toilet | Opening porthole               |
| Feature window with blind               | Overhead lighting              |
| Full length berth                       | AC Power point                 |
| Hanging locker                          | Random oak floor               |
|                                         | Sink with hot & cold mixer tap |

## Engines & Sterngear

|                                                                                            |                                                                        |
|--------------------------------------------------------------------------------------------|------------------------------------------------------------------------|
| Automatic bilge pumps for forward bilge, engine bay & rudder bay with manual 'on' override | Engine room soundproofing                                              |
| Automatic engine bay fire extinguisher system                                              | Exhaust overheat warning system                                        |
| Dripless shaft seals                                                                       | High capacity emergency manual bilge pump system with dedicated valves |
| Electric engine bay fans                                                                   | Manganese bronze 'P' brackets                                          |
| Electro-hydraulic trim tabs with cathodic protection                                       | Manganese bronze propellers contra-rotating                            |
| Engine air intakes                                                                         | Sea cocks on all inlets/outlets below waterline                        |
| Engine bay lights                                                                          | Stainless steel alloy shafts                                           |

## Fuel System

Emergency fuel shut-off valves accessible via cable-operated remote control  
High capacity water separators & fuel filters

Individual fillers & vents to port & starboard  
Twin fuel tanks with balance pipe

## Freshwater System

Automatic, pressurised supply  
Calorifier hot water system

Water tank

## Waste Water System

Holding tank (170 litres) with electric macerator & deck pump-out

## USA Specifications

In addition to or in lieu of those listed above

Voltage - 2 x 110V (220V) 60Hz

Whilst every effort is made to keep all sales literature up to date, it should not be regarded as an infallible statement of current specifications & does not constitute an offer for the sale of any particular boat. We continually seek to improve the specification & design of our boats, so alterations & upgrades to specifications take place continually.

Appointed dealers are not agents of Fairline Yachts Ltd & are not authorised to commit Fairline Yachts Ltd by any express or implied undertaking or representation.

Performance Figures: Power quoted in our literature for diesel inboard engines is crankshaft output.

Performance Estimates: Performance estimates are given in good faith but are in no way guaranteed for any particular model. Dirt on the bottom of the boat, damage to the propellers, engine tuning, external water & air temperatures & the weight of crew, fuel & water carried can all adversely affect performance. For those & other reasons we can give no performance guarantees