


2020 Model Year Standard Specification



Principal Dimensions

Length overall (incl. pulpit)
submersible platform:
51'4" (15.64m)

Length overall (excl. pulpit)
submersible platform:
50'8" (15.44m)

Beam (incl. gunwale):
14'2" (4.32m)

Draught:
3'10" (1.17m) unloaded

Berths:
4 - 7

Height above waterline
(incl. arch & nav. light mast):
15'1" (4.6m)

Dry weight (approx.):
12.79 imp. tons / 14.33 US tons
(13,000kg)

Fuel capacity:
288 gallons / 346 US gallons
(1,309 litres)

Water capacity (incl. calorifier):
106 gallons / 127 US gallons
(482 litres)

Transport height:
15'10" (4.83m)

Engines & Performance

2 x Volvo Penta IPS600 D6-440, diesel
(880hp): 32 knots

2 x Volvo Penta IPS650 D6-480, diesel
(960hp): 33 knots (est.max)

2 x Volvo Penta IPS700 D8-550, diesel
(1100hp): 34 knots

Type approval:
B


Max. persons capacity:
16

Deck Plans


Main Deck



Lower Deck 2 Cabin



Lower Deck 3 Cabin



Deck

Anchor chain locker	Stainless steel bow, spring & stern cleats
Anchor winch controls	Stainless steel handrails
Anchor winch (electric)	Stainless steel pulpit
Calibrated anchor chain	Stainless steel stemhead roller
Dinghy garage	Stainless steel transom wing cleats
Ensign & staff	Swim ladder to bathing platform
Fender set	Teak-laid bathing platform (with option of submersible platform)
Full set of IMCO navigation lights	Toughened glass curved windscreen
Hot & cold water transom shower	Transom gate from cockpit to integral bathing platform
Moulded non-slip deck surface	Twin horns
Recessed self-draining area on foredeck for coachroof sun cushions	Water filler
Riding light	Windscreen washers
Rubbing strake	Windscreen wipers
Self-stowing Delta® anchor	
Stainless steel bow fairleads	

Helm Position

12V socket	Garmin GMi 20 digital multi-function instrument system with colour display
Bilge pump switches with integral operating warning lights & audible alarms	Garmin VHF marine radio
Twin helm seat	Helm position indicator
Controls for engine bay fire extinguisher system	High-speed magnetic compass
Drinks holders	IPS joystick
Electronic single-lever throttle & gear controls for port & starboard engines	Remote anchor winch controls
Folding foot plinth	Searchlight with remote control at helm
Fuel gauges	Single piece windscreen
Full engine instrumentation including; tachometers, oil pressure gauges, temperature gauges, audible alarms & engine hour meters	Waterproof switches for navigation & riding lights, windscreen wipers & engine bay extractor fan

Electrical Systems

All 240V, 24V & 12V circuits (where applicable) protected by circuit breakers with main electrical load control panel
Electrical sockets
Heavy duty circuit breakers
Isolating switches to all batteries

Electrical Systems

12 Volt

Batteries – 2 x heavy duty batteries for domestic services
1 x heavy duty battery for exclusive port engine starting
1 x heavy duty battery for exclusive starboard engine starting
Emergency battery coupling system permits starboard engine to start port engine if domestic batteries accidentally discharged

240 Volt

Polarity check & earth leakage protection system
Power points throughout the boat fed from shore power or generator
Regulated battery charger
Shore power supply

Cockpit

12V heavy duty weatherproof socket
Bathing platform lights
Boat hook
Central dining area with table
Companion seating to helm
Drinks holders
Engine bay access hatch
Fender stowage
Glove locker

Life raft stowage
Manual bilge pumps
Mooring warps
Moulded non-slip deck surface
Stainless steel handrails
Step for side deck access
Stowage lockers under companion seat
Warp lockers
Waterproof speaker's x 2

Interior Décor

Choice of interior finishes from the Amalfi, Capri, Hamptons or St Tropez interior styling ranges selected by the Fairline Yachts Design Studio

Hullform & Construction

Antifouling protection to hull
Deep 'V' hull
Design, layout & detailing by the Fairline Yachts Design Studio
Full length moulded spray deflectors
Hard top with electric sliding canvas roof
Hull colour - White

Integrally moulded engine bearers
Polyurethane foam cores throughout deck for strength & thermal insulation
Resin infused hull & internal liner
Transverse & longitudinal strengthening stringers throughout hull

Saloon

Access to day head
Aerial & connections for television
Cocktail table converts to dining table
Companionway timber steps with handrail
First aid kit
Hull window
LED ceiling lights

22" LCD television
Lockers (overhead)
Radio & iPod dock with 2 speakers
Sliding door to cockpit with integral blind system
Sofa
Stowage locker under dinette seating
Underfloor stowage locker

Galley

Control panel for 12V/240V domestic electrical circuits
Crockery stowage
Extractor fan
Fire extinguisher
Foundations® work surface with covers
Hob, oven & grill
Hull window

Integrated waste bin
Lacquered cupboard doors
LED ceiling lights
Lockers (overhead)
Sink with hot & cold mixer tap
Tall fridge/freezer with automatic 12V/240V change-over
Work surface lights

Master Cabin

Access to en suite
Bedside tables
Chest of drawers
Full length double bed
Full length mirror

LED ceiling lights
Opening portholes
Reading lights
Vanity unit
Wardrobe

Master En Suite

Automatic shower tray pump-out system
Electric silent-flush freshwater toilet
Extractor fan
Solid surface vanity unit locker & basin with hot & cold pressurised water
Full set of bathroom fittings

Full standing-height shower with integral shower tray & adaptable shower head
Hand basin with hot & cold water
Mirror
Opening porthole
Stowage locker

Forward Cabin

Access to shower/WC compartment
Bedside tables
Double bed converting to V-berth
Full length mirror
Hatch to foredeck
Headboard shelf unit

LED ceiling lights
Lockers (overhead)
Low level drawers
Opening portholes
Reading lights
Trinket locker
Wardrobe

Third Cabin

Optional, in lieu of saloon

Full length mirror
Full length twin bunk beds
LED ceiling lights

Opening porthole
Reading lights
Wardrobe

Guest En Suite

Automatic shower tray pump-out system
Electric silent-flush freshwater toilet
Extractor fan
Foundations® vanity unit locker & basin with hot & cold pressurised water
Full set of bathroom fittings

Full standing-height shower with integral shower tray & adaptable shower head
Hand basin with hot & cold water
Mirror
Opening porthole
Stowage locker

Engines & Sterngear

Automatic bilge pumps for engine bay with a manual 'on' override	Engine bay lights
Automatic engine bay fire extinguisher system	Engine room soundproofing
Electric engine bay fans	High capacity emergency manual bilge pump system with changeover valves
Electric trim tabs with cathodic protection	Sea cocks on all inlets/outlets below waterline

Fuel System

Changeover valve system to permit each engine to draw fuel from & return fuel to either tank	Individual fillers & vents to port & starboard
Emergency fuel shut-off valves	Twin fuel tanks
High capacity water separators & fuel filters	

Freshwater System

Automatic, pressurised supply	Calorifier hot water system
	Water tank

USA Specifications

In addition to or in lieu of those listed above

Voltage - 2 x 110V (220V) 60Hz

Whilst every effort is made to keep all sales literature up to date, it should not be regarded as an infallible statement of current specifications & does not constitute an offer for the sale of any particular boat. We continually seek to improve the specification & design of our boats, so alterations & upgrades to specifications take place continually.

Appointed dealers are not agents of Fairline Yachts Ltd & are not authorised to commit Fairline Yachts Ltd by any express or implied undertaking or representation.

Performance Figures: Power quoted in our literature for diesel inboard engines is crankshaft output.

Performance Estimates: Performance estimates are given in good faith but are in no way guaranteed for any particular model. Dirt on the bottom of the boat, damage to the propellers, engine tuning, external water & air temperatures & the weight of crew, fuel & water carried can all adversely affect performance. For those & other reasons we can give no performance guarantees